

MolDesk Basic ver.1.1 Readme

1. Contents

Readme_Basic_en.pdf	This document
Readme_Basic.pdf	This document (Japanese)
moldesk_basic_64_setup_1.1.82.exe	Installer for Windows 64bit
MolDesk_Basic_Linux64_1.1.82.zip	Source codes for Linux 64bit
MolDesk_Basic_Mac_1.1.82.pkg	Installer for Mac

2. Environment

This application runs on the following environment.

OS	Windows Vista / 7 / 8 / 8.1 / 10 Linux 64bit macOS 10.11 or later
----	---

3. Install


3.1. Windows

3.1.1. Install MolDesk Basic

Execute the installer which corresponds to JRE.

Environment	Installer
Windows 64bit	moldesk_basic_64_setup_1.1.82.exe






- When the message " Windows SmartScreen prevented an unrecognized app from running. ***" is shown on Windows8, select "More info" and click "Run anyway" button to install.
- If the old version has been installed, uninstall it and install new version.
- When changing the folder of the installation, don't include a space character in the folder name.



A MolDesk Basic start icon and a MolDesk Basic folder are generated on desktop of user after installation.

There are files and folders as follows in MolDesk Basic folder.

MolDesk Basic ver.1.1 Readme

 sample	Sample input files
 MolDesk Basic	MolDesk Basic start icon
 MolDesk_Basic_ver.1.1_Manual.pdf	Manual (Japanese)
 MolDesk_Basic_ver.1.1_QuickManual.pdf	Quick manual (Japanese)
 uninstall MolDesk Basic	Uninstall icon

3.1.2. Uninstall MolDesk Basic

Run uninstall icon as bellow or uninstall from " Programs and Features" of control panel.

MolDesk Basic ver.1.1 Readme

3.2. Linux

3.2.1. Install MolDesk Basic

Expand MolDesk_Basic_Linux64_1.1.82.zip in user area.

```
$ unzip MolDesk_Basic_Linux64_1.1.82.zip
```

Next, double-click the startup file as follows to start MolDesk.

Environment	Startup file
Linux 64bit	MolDesk_Basic_Linux64 / MolDesk

- If the old version has been installed, uninstall it and install new version. If old version remains, the name of new expanded folder in same directory may contain space like "MolDesk_Basic_Linux64 (2)" and it can not run.
- **Use Gnome as the desktop environment.** MolDesk can not work with Unity, which is often used in Ubuntu, because of failure of menu bar.

3.2.2. Uninstall MolDesk Basic

Remove MolDesk_Basic_Linux64 directory to uninstall.

Be careful not to remove saved projects.

MolDesk Basic ver.1.1 Readme

3.3. Mac

3.3.1. Install MolDesk Basic

Run the installer (MolDesk_Basic_Mac_1.1.82.pkg) and install according to the wizard.

- If you get a warning that “ ... can't be opened because it is from an unidentified developer.” at launch of the installer, open the context menu and select “Open” and run installer.

The following will be installed.

Product	Default installation directory
“MolDeskBasic.app” (Executable file)	/Applications
“MolDesk Basic” folder (Contains a manual and sample data set)	/Library

3.3.2. Uninstall MolDesk Basic

Delete installed file/folder by drag & drop to Trash or open the context menu and select “Move to Trash”.


MolDesk Basic ver.1.1 Readme

4. Activation

4.1. Input the license file

Input the distributed license file at the pop-up window as follows to activate MolDesk.

Select [Help] - [Activate License] menu to show the pop-up window.



Click [Choose license file] and select the license file.

Information as follows is shown after the license file has been read.

[User name] : User name in the license file

[Expiration date] : License expiration date. '-' if permanent

[License File] : Path to the license file

[Version] : Version